




WINTER SALE NOW ON

Huge Savings on Stock Machines

**Huge Reductions On Stock (New and Ex-Demo)
Machines. Limited Quantities Available.
When They're Gone, They're Gone!**

- Machines & accessories available from stock
- Machines & accessories offered, subject to prior sale
- Prices exclude delivery charge & VAT at the prevailing rate
- All 'Price Crunch' machines are offered with 12 months warranty (unless otherwise stated)
- Not from China - Guaranteed! (Gate Machinery)
- All business will be subject to our Terms & Conditions of Sale, copies available on request (E&OE)
- Payment Terms: 100% prior to despatch
- Payment methods: Cash, cheque, Bank Transfer, all major credit/debit cards



Eziturn+

IDEAL FOR ONE OFF'S, SMALL
BATCHES & EDUCATION

Simple-Powerful-No Codes

EZT-320 Electronic Lathe

Swing: 320 mm
Distance: 500 mm
Spindle Speeds: 3000rpm
Equipment: Eziturn+ Control, Programmable
Speeds with CSS, Bison 3-Jaw Chuck, Light,
Programable 4-way toolpost, Tailstock,
Interlocked Guarding, Coolant, Swarf Tray,


Price Includes Training

Bridging The Gap Between Manual & CNC


**The new way of machining for
the next Generation of Machinist**




Manual with DRO



Complex Turning



Turn-Mill



Gate

PBM Turret Milling Machines

PBM-1000



Only **£18,750+ VAT**



PBM-1000 'Premium' Complete with:

2 Axis Newall DP500 DRO,
X axis power feed, 1 shot lubrication, light,
coolant, fibreglass splash tray, tool kit and
manual.


- Variable speed head
- R8 spindle
- 1067 x 230mm (42" x 9") table
- 660 x 305 x 406mm travels (x, y, z)
- Quill travel 127mm
- 0.04/0.08/0.13mm/rev feeds
- Head tilts R&L $\pm 45^\circ$ F&B $\pm 45^\circ$

**PBM Turret Mills
are Supplied with
Pneumatic Spindle
Braking, as Standard**

Stock Clearance SALE Huge Reductions

**This is a genuine
opportunity to purchase a
New Quality Gate Machine
for less than a 'Cheap
Chinese Import'.**

**These prices will not be
repeated so hurry, to avoid
disappointment.**



PBM-1000 'Premium'

Only **£9,700+VAT**

Gate

Ex-Demo

PSGS-3060N

PROTH[®]

NC Surface Grinding Machine



**Customer Cancellation - Only One available
- Machine, As New**

MACHINABLE CONTENT



Specifications

Capacity

Max Travel Cross & Longitudinal 340 x 700mm
Spindle Centre Height from Table 560mm
Grinding Surface of Table 300 x 600mm
Longitudinal Movement 1 – 25m/min

Cross Movement

Intermittent Cross Feed 0.1 – 100mm/feed
Continuous Cross Feed 1000mm/min
Hand Feed Per Revolution MPG
Hand Feed Per Division MPG

Vertical Movement

Rapid Traverse 500mm/min
Hand Feed Per Revolution MPG
Hand Feed Per Division MPG

Grinding Wheel

Dimension O.D x W X LD 335 x 38 x 127mm
Spindle Speeds 1500 / 1800 rpm

Motor

Spindle Motor 3.7 KW/5HP
Hydraulic Motor 0.75KW/1HP
Net Weight 3750KGS
Packing Size 2750 x 2600 x 1900mm

Features

- NC Controller with Colour Touch-Screen
- Automatic and programmable Wheel Dresser with Dressing Compensation for In-Process Dressing
- 300 x 600mm fine pole electro magnetic chuck with built-in Auto-Demag.
- Enclosed Table Guarding
- Rear Coolant Baffle
- Automatic Paper Strip Filter Coolant System with Magnetic Separator
- Electronic one-touch Cross Traverse for fine setting of Cross Traverse
- Hydraulic longitudinal traverse
- MPG for fine positioning and optimizing of travels prior to grinding
- Programmable Down feeds (Rough & Fine feeds) + Spark out
- Digital Readout on Vertical Head
- LED Strip Light



Only **£43,125+VAT**
Save £15,000

Call today 01923 211000

Fax: 01923 211002

www.gatemachinery.com

Creusen Double Ended Grinders, Linishers and Polishers

DS 8150T DE Grinder
230V - 1~

Only **£307**+VAT

6
AVAILABLE



5
AVAILABLE

2
AVAILABLE

BSS 9200 Combination Grinder / Linisher

Only **£976**+VAT

1
AVAILABLE

DS 8150T DE Grinder
230V - 1~

Only **£320**+VAT

DS 8150TS DE Grinder
400V - 3~

Only **£314**+VAT

BS 975HD Single Phase



1
AVAILABLE

Only **£1,108**+VAT

BSS 9250 Combination Grinder / Linisher

Only **£1,090**+VAT

1
AVAILABLE

K 8000 Pedestal



3
AVAILABLE

K9000/HD Pedestal



5
AVAILABLE

DS 9300 DE Grinder

Only **£985**+VAT

1
AVAILABLE



1
AVAILABLE

Only **£2,168**+VAT

creint

CREINT Double Ended Grinders, Linishers and Polishers - Reduced to clear

SALE Save 15%



2
AVAILABLE

GP 150/1

Article number: 060109
Power rating: 500W
Voltage: 230V 1~ 50-60Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x20x15mm
Weight: 16 kg

Only **£245**+VAT
Was £286.00



3
AVAILABLE

GI 200/1

Article number: 050505 (110)
Power rating: 480 W
Voltage: 230 V 1~ 50-60 Hz
110 V - 1~ 50-60 Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x25x13 mm
Weight: 12 kg

Only **£750**+VAT
Was £885.00



1
AVAILABLE

GI 200/3

Article number: 050560
Power rating: 830 W
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x25x13 mm
Weight: 12 kg

Only **£750**+VAT
Was £885.00



1
AVAILABLE

BIHD 75/3 With Brake

Article number: 050100
Power rating: 4.1 HP
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Belt size: 75x2000 mm
Weight: 76 kg

Only **£1,180**+VAT
Was £1,387.00

15% OFF
CREINT BELT LINISHERS



1
AVAILABLE

BIHD 150/3 With Brake

Article number: 050166
Power rating: 4.8 HP
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Belt size: 150x2000 mm
Weight: 100 kg

Only **£1,690**+VAT
Was £1,988.00



GP 150/1W

Article number: 060131
Power rating: 500W
Voltage: 230V 1~ 50-60Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x40x15
150x20x15mm
Weight: 17 kg

Only **£260**+VAT
Was £305.00

PI 200/1



1
AVAILABLE

Only **£850**+VAT
Was £999.00

Article number: 050633 / 050636
Power rating: 750W
Voltage: 230V 1~ 50-60Hz
Speed: 2800 rpm
Polishing mop: 200x20x6mm
Weight: 14 kg

Progress®

Horizontal Bandsaws



3
AVAILABLE

PR-7B
Horizontal Bandsaw
178mm (7") Capacity,
400V, 3 phase,
Hydraulic dampening,
Coolant, Stepped
Pulley

Only **£1,380**+VAT
Save **£245**



1
AVAILABLE

PR-7B & PR-9B Equipment and features

- Standard Equipment and Features**
- Quick-action Vice can be swiveled to 45 deg.
 - Blade Tension Guide
 - Bi-metal Saw Blade
 - Coolant Equipment
 - Hydraulically controlled Downfeed
 - Adjustable Blade Guides
 - Material Stop

- Safety Features**
- No volt release and current overload protection,
 - Emergency stop
 - Adjustable blade guards

PR-9B
Horizontal Bandsaw
230mm (9") Capacity,
400V, 3 phase,
Hydraulic dampening,
Coolant,
Stepped Pulley

Only **£1,998**+VAT
Save **£ 352.00**



Progress®

Vertical Bandsaws

VBS-400 Vertical Bandsaw

Throat 400mm (16")
Power table feed
Lo / Hi Speeds 10-80 & 250-1000M/min
Table Tilt L/R 5 deg
Blade welder

1
AVAILABLE

Only **£4,985**+VAT
Save **£1,865**

MRMS-4 Roller Stand



MRMS-4

MRMS-9 Roller Stand



MRMS-9

MODEL	MRMS-4
Specification	1080 × 470 × 170mm
Weight	52.2Kg
Max loaded weight	400Kg
Adjustable Height	650-1100mm

Only **£95**+VAT

MODEL	MRMS-9
Specification	1730 × 510 × 170mm
Weight	56Kg
Max loaded weight	400Kg
Adjustable Height	680-1130mm

Only **£125**+VAT

Progress® Profitdril
Profitdril® Bench Drills
Stepped Pulley



PD-1B
Bench Drill
 16mm cap, 2MT,
 Chuck Guard,
 Stepped Pulley
 Only **£ 650+VAT**
 Save £600

2
 AVAILABLE

Progress
Bench Drills
Variable speed



PR-1VS
Variable Speed
Bench Drill
 16mm cap, 2MT,
 Chuck Guard,
 Variable speed.
 Only **£ 920+VAT**
 Save £730

3
 AVAILABLE



Profitdril
Pedestal Drills
Stepped Pulley

PD-1P
Pedestal Drill 16mm
 cap, 2MT,
 Chuck Guard,
 Stepped Pulley
 Only **£ 825+VAT**
 Save £620

3
 AVAILABLE



1
 AVAILABLE

PD-2P
Pedestal Drill
 25mm cap, 3MT,
 Chuck Guard,
 Stepped Pulley
 Only **£ 995+VAT**
 Save £610

Progress
Stepped Pulley Drills

PR-2S
Pedestal Drill
 28mm cap,
 3MT,
 Interlocked Chuck
 Guard,
 Stepped Pulley
 Only **£1,790+VAT**
 Save £466

2
 AVAILABLE



Progress
Variable Speed Drills

PR-2VS
Pedestal Drill
 28mm cap,
 3MT,
 Interlocked Chuck
 Guard,
 Variable Speed
 Only **£2,480+VAT**
 Save £650


2
 AVAILABLE



We have many more machines
in stock or on forward order.

Please contact us for
details and Prices.

If you have a special
requirement, please contact
us to see what we can offer.



ONLY
1
LEFT

Turret Mills

FM-50S Digi

Features

Turret Milling machine with 3 axis digital readout.
Table Swivels L/R +/- 45° Head
Tilts L/R
Geared Head
Geared Table Feed Interlocked
Spindle Guard Halogen Light
Coolant
CE Marked

Specifications

- Spindle taper ISO40
- Table size 800 x 240mm
- Travels 360 x 200 x 345 mm (X,Y,Z)
- Motor power 1.5kW
- Weight 780Kg
- Complete with:-**
 - Machine Vice
 - Tooling Package
 - Tool rack



Only **£5,595+VAT**

sheet Metal

ONLY
1
LEFT

AKB-1020-2.5 Bending Machine with Segments

Working Length 1020mm
Sheet Thickness 2.5mm
Max bending Angle 135 deg
Weight 300Kg

List ~~£1,910~~ +VAT

Now only **£1,725+VAT**



Drills



TB 23 Bench Drill / SBS 23 Floor Drill

- 23mm capacity
- Single and 3 phase options
- ¾Hp motor
- Chuck guard, drill chuck & arbor
- Drill ejector, manual

TB 23 - 230V Only £325+VAT

TB 23 - 400V Only £355+VAT



SBS 23 - 230V

Only **£370+VAT**

ONLY
1
LEFT

ONLY
4
LEFT

Grinders



BSM-150

- 150mm x 2000 belt
- High power
- Removable cover for flat grinding
- Tool rest, eye shield & dust catcher

Only **£750+VAT**

ONLY
1
LEFT

Saws

BS-210G

- Pull Down Band Saw
- Hydraulic dampening
- Cap. 180mm (round)
- Cap. 200 x 150mm (rect)
- 2 speed gearbox

Only

£1,250+VAT

ONLY
1
LEFT

E-MKS-315SA

Only

£3,400+VAT

ONLY
1
LEFT



Semi Automatic Cut Off Saw with Pneumatic Vice

- Circular Cut off Saw
- Blade Diameter 315mm
- Capacity 85 x 85mm
- 2 speed motor



Final Reductions Reduced to Clear



High Quality and solidly built range of Double Ended Bench Grinding Machines.

Smooth running with balanced motor and quality bearings

**Limited
Stock
Remaining.**

DS 150 - 230V

Clearance £95 + VAT


DS 175 - 230V

Clearance £105 + VAT

Great opportunity to purchase Ex-Training Centre machines direct from the original supplier - Fully Serviced

Ex-Training Centre
Gate G-330E Centre Lathes - 6 Available
Condition: Good - Fully Functional

Fully serviced and in good working condition. Buy with confidence from original supplier.
Full spares & Support



GMU-066 - £ 4,250 + VAT
YOM - November 2007

Specifications

- 330mm x 1000mm Between Centres
- 3 Jaw chucks
- 4 Jaw Chuck (GMU-066)
- Steadies
- 4-way Toolpost (GMU-075, GMU-077 & GMU-078)
- QCTP & Holders (GMU-066, GMU-074 & GMU-076)
- Face Plate (All Except GMU-077)
- Light
- Coolant
- Full Length Splash Guard
- Interlocked Chuck Guard
- Saddle Guard (GMU-066)
- Full Length Foot Brake & CE Mark



GMU-075 - £ 3,250 + VAT
YOM - June 2004



GMU-074 - £ 3,550 + VAT
YOM - June 2004



GMU-076 - £ 3,550 + VAT
YOM - June 2004



GMU-077 - £ 3,250 + VAT
YOM - June 2004



GMU-078 - £ 3,250 + VAT
YOM - June 2004

Visit our Web Site www.gatemachinery.com for individual specifications and pictures

Great opportunity to purchase Ex-Training Centre machines direct from the original supplier - Fully Serviced

Ex-Training Centre
Epple MD-175-750 & MD-175-750 Digi Centre Lathes - 3 Available
Condition: Good - Fully Functional

Fully serviced and in good working condition. Buy with confidence from original supplier.



GMU-080 - £ 2,250 + VAT
YOM - 2006

Specifications

- 300mm x 750mm Between Centres
- 3 axis DRO (GMU-080 & GMU-081)
- 3 Jaw chucks
- 4 Jaw Chuck
- Steadies
- 4-way Toolpost
- Face Plate
- Light
- Coolant
- Full Length Splash Guard
- Interlocked Chuck Guard
- Full Length Foot Brake & CE Mark



GMU-081 - £ 2,250 + VAT
YOM - 2006



GMU-079 - £ 1,750 + VAT
YOM - 2007

Epple -UK
SB 32 SD
Variable Speed
Floor Drill



1 Available
Ex-Demo

- 32mm cap
- 3MT
- Variable Speed

Used Machinery stock always changing, Call us for an updated stock list. £570 + VAT

XYZ Protur SLX 1630 CNC Lathe



specifications

Swing over bed: 400mm, Swing over cross slides: 218mm
Cross Slide Travel: 216mm, Distance between centres: 760mm
Maximum Cutting Length: 760mm, Spindle bore: 54mm,
Spindle nose D 1-6, Spindle taper: MT4
Spindle motor: 5.75 Kw (7.5hp), Spindle speeds: 50-2500 rpm
Tailstock Travel: 127mm, Tailstock taper: MT4,
Tailstock diameter: 60mm, Bed Width: 320mm
Footprint (L x D x H): 2080 x 1000 x 1800mm,
Weight: 1750 kg,

Machine comes complete with:-

3 jaw chuck
Dixon Toolpost Automatic
lubrication

Ex-Training Centre

Only **£11,750**+VAT
Gate Stock No GMU-101

Elliott 618 Surface Grinder



Ex-Training Centre

Machine in good working order except for Hydraulic pump which is no longer available as a spare part. Machine is Ideal for use as a Manual Grinder or as a donor machine for spare parts.

Machine comes complete with:-

- 6" x 18" Magnetic Chuck
- R & F to Wheelhead
- Coolant tank and fittings
- Mounted wheel and flange

Only **£500**+VAT

Gate Stock No GMU-071

Jones & Shipman 1400P Surface Grinder



Ex-Training Centre

Machine in good working order.

Gate Stock No GMU-102 Please enquire for further details.



Machine comes with:-

- Magnetic Chuck
- R & F to wheelhead and Auto downfeed
- Hydraulic System
- Coolant Equipment
- Mounted Grinding wheel
- Light

Only **£5,500**+VAT

Meddings MF5-3



ONLY
3
LEFT

Ex-Training Centre
Gate Stock No:-
GMU-92
GMU-93
GMU-94

- 3 Phase
- 1HP
- 100-3000 rpm
- 25mm cap
- 3MT

- Chuck Guard
- Stepped Pulley Only **£950**+VAT

ProfitDrill PD1B Bench Drill

Ex-Demo


ONLY
3
LEFT



- 16mm cap
- 2MT
- Chuck Guard
- Stepped Pulley

£425 + VAT

Excel PBS 250 V Horizontal Bandsaw in good working order.



Machine comes complete with:-


Variable speed,
Quick action vice,
Coolant,
Hydraulic downfeed,
blade.

- 250mm Capacity
- 3300 x 27 x 0.9 mm blade
- Weight 3

Gate Stock No GMU-104

Only **£3,500**+VAT

Bridgeport - Series One Variable Speed Head Turret Mill



Machine comes complete with:-

2 axis Newall DP-700 DRO,
Splash Tray,
Guards,
Light,
2HP Spindle Motor,
R8 Spindle,
Variable Speed Head,
42"x9" Table,
Align Longitudinal Power feed,
One Shot Lube.

Gate Stock No GMU-091

Ex-Training Centre
Condition: Good Working Order

Only **£3,250**+VAT

Used Machinery stock always changing, Call us for an updated stock list.

Call today 01923 211000

Fax: 01923 211002

www.gatemachinery.com