




UP TO 50% OFF Huge Savings on SALE NOW ON Stock Machines

**Huge Reductions On Stock (New and Ex-Demo)
Machines. Limited Quantities Available.
When They're Gone, They're Gone!**

- Machines & accessories available from stock
- Machines & accessories offered, subject to prior sale
- Prices exclude delivery charge & VAT at the prevailing rate
- All 'Price Crunch' machines are offered with 12 months warranty (unless otherwise stated)
- Not from China - Guaranteed! (Gate Machinery)
- All business will be subject to our Terms & Conditions of Sale, copies available on request (E&OE)
- Payment Terms: 100% prior to despatch
- Payment methods: Cash, cheque, Bank Transfer, all major credit/debit cards



Eziturn+

IDEAL FOR ONE OFF'S, SMALL
BATCHES & EDUCATION

Bridging The Gap Between Manual & CNC

**The new way of machining for
the next Generation of Machinist**

Simple-Powerful-No Codes

EZT-320 Electronic Lathe

Swing: 320 mm
Distance: 500 mm
Spindle Speeds: 3000rpm
Equipment: Eziturn+ Control, Programmable
Speeds with CSS, Bison 3-Jaw Chuck, Light,
Programable 4-way toolpost, Tailstock,
Interlocked Guarding, Coolant, Swarf Tray,


Price Includes Training




Complex Turning



Turn-Mill



Manual with DRO



Gate

Centre Lathes

G-330E

**New
2026**

**1
AVAILABLE**



G-330E 'Premium'

Only **£12,480+VAT**
Save 20%



Only **£15,940+ VAT**
Save 30%

Stock Clearance SALE Huge Reductions

**This is a genuine
opportunity to purchase a
New Quality Gate Machine
for less.**

**These prices will not be
repeated so hurry, to avoid
disappointment.**

Specifications

Swing over bed	330mm
Swing over cross slide	195mm
Distance between centres	1000mm
Swing over gap	490mm
Width of bed	190mm
Spindle speeds	(9) 80-2000rpm
Spindle bore	40mm
Spindle nose	D1 - 4 Camlock
Spindle taper	MT5
Tailstock taper	MT3
Tailstock quill travel	110mm
Cross slide travel	175mm
Compound rest travel	100mm
Metric threads	(30) 0.4-7
Module pitches	(32) 0.
Diametral pitches	(34) 4
Inch threads	(32) 4-5
Longitudinal feeds	0.068-0.936mm
Cross feeds	0.034-0.468mm
Machine weight	800Kg

**Supplied with Multifix Toolpost
and 4 Tool holders**



Included with Machine

2 Axis Fagor 20iT Digital Readout
3 & 4-Jaw Chucks
Fixed and Travelling Steadies
LED Strip Light
Safety Equipment & Guarding
Coolant

Gate

Ex-Demo

PSGS-3060N


PROTH®

NC Surface Grinding Machine



**Customer Cancellation - Only One available
- Machine, As New**

MACHINABLE CONTENT



Specifications

Capacity

Max Travel Cross & Longitudinal
Spindle Centre Height from Table
Grinding Surface of Table
Longitudinal Movement

340 x 700mm
560mm
300 x 600mm
1 – 25m/min

Cross Movement

Intermittent Cross Feed
Continuous Cross Feed
Hand Feed Per Revolution
Hand Feed Per Division

0.1 – 100mm/feed
1000mm/min
MPG
MPG

Vertical Movement

Rapid Traverse
Hand Feed Per Revolution
Hand Feed Per Division

500mm/min
MPG
MPG

Grinding Wheel

Dimension O.D x W X LD
Spindle Speeds

335 x 38 x 127mm
1500 / 1800 rpm

Motor

Spindle Motor
Hydraulic Motor
Net Weight
Packing Size

3.7 KW/5HP
0.75KW/1HP
3750KGS
2750 x 2600 x 1900mm

Features

- NC Controller with Colour Touch-Screen
- Automatic and programmable Wheel Dresser with Dressing Compensation for In-Process Dressing
- 300 x 600mm fine pole electro magnetic chuck with built-in Auto-Demag.
- Enclosed Table Guarding
- Rear Coolant Baffle
- Automatic Paper Strip Filter Coolant System with Magnetic Separator
- Electronic one-touch Cross Traverse for fine setting of Cross Traverse
- Hydraulic longitudinal traverse
- MPG for fine positioning and optimizing of travels prior to grinding
- Programmable Down feeds (Rough & Fine feeds) + Spark out
- Digital Readout on Vertical Head
- LED Strip Light

1
AVAILABLE

Only **£34,875+VAT**
Save 40%

Call today 01923 211000

Fax: 01923 211002

www.gatemachinery.com

Gate

www.gatemachinery.com

NEW

creint

**Metalworking Double Ended
Grinding machines of the
highest quality & Heavy Duty
for industrial use**



**Special
Low
Price**

**Only
£ 123.00**

Price includes VAT and Carriage.

**Special
Introductory
Offer**

FEATURES

- Sturdy machines
- High power rating 500 Watt
- Thermally protected
- Low-noise and stable running properties
- 5 years motor guarantee

GP 150/1W

Article number: 060131

Power rating: 500W

Voltage: 230V 1~ 50-60Hz

Speed: 2800-3400 rpm

Grinding wheel: 150x40mm G100

150x20mm G36

Weight: 17 kg

The edge you need

Tel: +44 (0) 1923 211000

Fax: +44 (0) 1923 211002

E-mail: sales@gatemachinery.com

www.gatemachinery.com

Creusen

GREEN TECHNOLOGY

Creusen Double Ended Grinders, Linishers and Polishers

DS 8150T DE Grinder
230V - 1~

Only **£256**+VAT
Save 25%

2
AVAILABLE



DS 8150TS DE Grinder
230V - 1~

Only **£268**+VAT
Save 25%

3
AVAILABLE

DS 8150TS DE Grinder
400V - 3~

Only **£268**+VAT
Save 25%

2
AVAILABLE



BS 9150A/HD

Only **£1,896**+VAT
Save 30%

1
AVAILABLE

BSS 9200 Combination Grinder / Linisher

Only **£855**+VAT
Save 30%

1
AVAILABLE

BSS 9250 Combination Grinder / Linisher

Only **£955**+VAT
Save 30%

1
AVAILABLE



creint

CREINT Double Ended Grinders, Linishers and Polishers Reduced to clear

K 8000 Pedestal



Only **£187**+VAT

1
AVAILABLE

K9000/HD Pedestal



Only **£248**+VAT

4
AVAILABLE

SALE-Huge Savings

**HUGE SAVINGS ON CREINT BELT LINISHERS AND DOUBLE-ENDED GRINDERS
LIMITED STOCK AVAILABLE SO HURRY TO AVOID DISAPPOINTMENT**



GP 150/1

Article number: 060109
Power rating: 500W
Voltage: 230V 1~ 50-60Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x20x15mm
Weight: 16 kg

Only **£175**+VAT
Save 40%

2
AVAILABLE



GI 200/1

Article number: 050505 (110)
Power rating: 480 W
Voltage: 230 V 1~ 50-60 Hz
110 V - 1~ 50-60 Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x25x13 mm
Weight: 12 kg

Only **£620**+VAT
Save 30%

4
AVAILABLE



BIHD 75/3 With Brake

Article number: 050100
Power rating: 4.1 HP
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Belt size: 75x2000 mm
Weight: 76 kg

Only **£ 970**+VAT
Save 30%

1
AVAILABLE



GP 150/1W

Article number: 060131
Power rating: 500W
Voltage: 230V 1~ 50-60Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x40x15
150x20x15mm
Weight: 17 kg

Only **£121** Inc.VAT
Better than 1/2 Price

51
AVAILABLE

HUGE SAVINGS ON CREINT D/E GRINDERS & POLISHERS



GI 200/3

Article number: 050560
Power rating: 830 W
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Grinding wheel: 150x25x13 mm
Weight: 12 kg

Only **£620**+VAT
Save 30%

2
AVAILABLE



BIHD 150/3 With Brake

Article number: 050166
Power rating: 4.8 HP
Voltage: 400 V 3~ 50-60 Hz
Speed: 2800-3400 rpm
Belt size: 150x2000 mm
Weight: 100 kg

Only **£1,390**+VA
Save 30%

1
AVAILABLE



PI 200/1

Only **£695**+VAT
Save 30%

Article number: 050633 / 050636
Power rating: 750W
Voltage: 230V 1~ 50-60Hz
Speed: 2800 rpm
Polishing mop: 200x20x6mm
Weight: 14 kg

2
AVAILABLE

Call today 01923 211000

Fax: 01923 211002

www.gatemachinery.com

Progress® Profitdril Profitdril® Bench Drills Stepped Pulley



**PD-1B
Bench Drill**
16mm cap, 2MT,
*Chuck Guard,
Stepped Pulley

Only **£ 595+VAT**
Better than 1/2 Price

4
AVAILABLE



Profitdril Pedestal Drills Stepped Pulley

**PD-1P
Pedestal Drill** 16mm
cap, 2MT,
*Chuck Guard,
Stepped Pulley

Only **£ 725+VAT**
Better than 1/2 Price

3
AVAILABLE



1
AVAILABLE

**PD-2P
Pedestal Drill**
25mm cap, 3MT,
*Chuck Guard,
Stepped Pulley

Only **£ 895+VAT**
Better than 1/2 Price

* Machines pictured with Interlocked Chuck Guard - Available at extra cost

Progress Stepped Pulley Drills

**PR-2S
Pedestal Drill**
28mm cap,
3MT,
Interlocked Chuck
Guard,
Stepped Pulley

Only **£1,580+VAT**
Save 30%

1
AVAILABLE



Progress Variable Speed Drills

**PR-2VS
Pedestal Drill**
28mm cap,
3MT,
Interlocked Chuck
Guard,
Variable Speed

Only **£2,190+VAT**
Save 30%

**We have many more machines
in stock or on forward order.**

**Please contact us for
details and Prices.**

**If you have a special
requirement, please contact
us to see what we can offer.**

GTS


Gate Tooling Services

Save at least 10% on-line


**Genuine Vertex Quality Tooling
and Accessories available to
purchase online at
www.gatetooling.co.uk**

Special On-line prices shown

It's Always Cheaper On-Line




K-Type Milling Vice




order no. & Dimensions:

order no.	e	a	B	H	R	s	a	b	h1	h2	g1	g2	G.W.	Kg	Price
VK-4	100	267	106	75	62	295	160	114	30	25	13	13	(C)11		£134 +VAT
VK-5	125	345	128	98	85	370	208	150	37	30	12	12	(C)17		£176 +VAT
VK-6	150	421	160	105	114	462	245	175	40	40	16	16	(C)28		£222 +VAT
VK-8	200	576	215	144	150	620	340	230	58	45	18	18	(W)58		£398 +VAT

Dividing Head sets



standard accessories
(Bs0 & Bs1)




standard accessories
(Bs-2)



BS-0 - **£478 +VAT**
100mm CENTRE HEIGHT
BS-1 - **£656 +VAT**
128mm CENTRE HEIGHT
BS-2 - **£1,197 +VAT**
137.7mm CENTRE HEIGHT

Rotary Tables



HV-6	Table Diameter	150mm	£281 +VAT
HV-8	Table Diameter	200mm	£437 +VAT
HV-10	Table Diameter	250mm	£568 +VAT
HV-12	Table Diameter	300mm	£695 +VAT
HV-14	Table Diameter	350mm	£835 +VAT

call today 01923 211000

Fax: 01923 211002

www.gatemachinery.com

Progress®

Horizontal Bandsaws



1 AVAILABLE

PR-7B
Horizontal Bandsaw
178mm (7") Capacity,
230V, 1 phase &
400V, 3 phase,
Hydraulic dampening,
Coolant, Stepped Pulley

1 AVAILABLE

415V
Only ~~£1,013~~
Save £486 +VAT

PR-10V Specifications

2 HP Main Motor
250mm (10") Capacity - Round
468 x 127mm (18" x 5") - Rectangular
Variable Speed 78-335 FPM
400V, 3 phase,
Hydraulic dampening,
Coolant,

Standard Equipment and Features

- Variable Speed drive
- Quick-action Vice can be swiveled to 45 deg.
- Hydraulic Blade Tensioning
- Bi-metal Saw Blade
- Coolant Equipment
- Hydraulically controlled Downfeed
- Adjustable Blade Guides with Laser
- Material Stop

Only ~~£5,436~~
Save 20% +VAT

1 AVAILABLE

230V
Only ~~£1,175~~
Save 40% +VAT



1 AVAILABLE

PR-7B & PR-9B Equipment and features

Standard Equipment and Features

- Quick-action Vice can be swiveled to 45 deg.
- Blade Tension Guide
- Bi-metal Saw Blade
- Coolant Equipment
- Hydraulically controlled Downfeed
- Adjustable Blade Guides
- Material Stop

Safety Features

- No volt release and current overload protection,
- Emergency stop
- Adjustable blade guards

PR-9B
Horizontal Bandsaw
230mm (9") Capacity,
400V, 3 phase,
Hydraulic dampening,
Coolant,
Stepped Pulley

Only ~~£1,998~~
Save £ 352.00 +VAT

MRMS-4 Roller Stand



MRMS-4

MRMS-9 Roller Stand



MRMS-9

**HUGE SAVINGS ON
ROLLER STANDS**


**LIMITED STOCKS
AVAILABLE**

MODEL	MRMS-4
Specification	1080 × 470 × 170mm
Weight	52.2Kg
Max loaded weight	400Kg
Adjustable Height	650-1100mm

Only ~~£195~~
+VAT

MODEL	MRMS-9
Specification	1730 × 510 × 170mm
Weight	56Kg
Max loaded weight	400Kg
Adjustable Height	680-1130mm

Only ~~£125~~
+VAT



ONLY
1
LEFT

Turret Mills

FM-50S Digi

Features

Turret Milling machine with 3 axis digital readout.
Table Swivels L/R +/- 45° Head Tilts L/R
Geared Head
Geared Table Feed Interlocked
Spindle Guard Halogen Light
Coolant
CE Marked

Specifications

- Spindle taper ISO40
- Table size 800 x 240mm
- Travels 360 x 200 x 345 mm (X,Y,Z)
- Motor power 1.5kW
- Weight 780Kg
- Complete with:-**
 - Machine Vice
 - Tooling Package
 - Tool rack



Ex-Demo Machine
Only 1 available

Only **£4,656 +VAT**
Save 40%

Sheet Metal

Cancelled Export order - Machine
Still in Packing case - Only 1 available



AKB-1020 Bending Machine with Segments

Working Length 1020mm
Sheet Thickness 2.5mm
Max bending Angle 135 deg
Weight 300Kg

List ~~£1,910~~ +VAT
Now only **£1,725 +VAT**

ONLY
1
LEFT

Ring Roller

New design with
30mm Spindle Shafts
Only 1 available



Technical data

Shaft diameter 30 mm
Roll diameter 118 - 148 mm
Motor power 1.1 kW
Electrics 400 V, 3Ph, 50 Hz
Roller speeds 4 rpm
Dimensions 620 x 480 x 1360 mm
Weight 213 kg

Features

The PW 30 model is powered by a 1.1 kW electric motor and is both lightweight and compact.

Precise sheet metal processing over a 30-millimeter shaft diameter is facilitated by a millimeter scale for the exact adjustment of the pressure rollers and longitudinal devices for aligning and positioning the workpiece.

Further product highlights include double-supported and ground drive shafts, a one-piece machined central block, and hardened, ground sliding shoes.

Feeding is mechanical via two drive rollers.

ONLY
1
LEFT

ONLY £1,965 +VAT
Save 30%

Drills

TB 23 Bench Drill / SBS 23 Floor Drill

- 23mm capacity
- Single and 3 phase options
- ¾Hp motor
- Chuck guard, drill chuck & arbor
- Drill ejector, manual



Unbeatable Prices

Better than
1/2 Price

ONLY
2
LEFT

TB 23 - 230V Only £325 +VAT
TB 23 - 400V Only £355 +VAT

Limited
Stock
Remaining.

ONLY
1
LEFT

Better than
1/2 Price



ONLY
4
LEFT

SBS 23 - 230V

Only **£370 +VAT**

ONLY
1
LEFT

SBS 23 - 400V

Only **£370 +VAT**

Better than
1/2 Price

Saws

E-MKS-315SA

Unbeatable Prices
Ex-Demo Machine
Reduced to Clear



Semi Automatic Cut Off Saw with Pneumatic Vice

- Circular Cut off Saw
- Blade Diameter 315mm
- Capacity 85 x 85mm
- 2 speed motor

ONLY
1
LEFT

Only **£3,400 +VAT**

Grinders

Final Reductions Reduced to Clear



High Quality and solidly built range of Double Ended Bench Grinding Machines.

Smooth running with balanced motor and quality bearings

Better than
1/2 Price

Limited
Stock
Remaining.

DS 150 - 230V

Clearance £85 + VAT

DS 175 - 230V

Clearance £95 + VAT

Miscellaneous

Hydraulic Pipe Bender

Unbeatable Prices

Features

- Foldable bending frame for efficient work
- Includes 6 bending inserts: 1/2", 3/4", 1", 1 1/4", 1 1/2" and 2"
- Universally applicable for water, gas and boiler pipes
- Tripod stand for safe working
- Bends up to 90° can be produced
- Pressure capacity up to 10 t
- Also ideal for copper pipes and sheathed pipes

Technical data

Bending capacity 1/2" - 2"
Performance 10 tons
Bending inserts 6 pcs.
Dimensions 680 x 510 x 910 mm
Weight 42 kg

Was ~~£450~~ +VAT Now **£225 +VAT**

Save 50%

ONLY
4
LEFT



Great opportunity to purchase Ex-Training Centre machines direct from the original supplier - Fully Serviced

Ex-Training Centre Gate G-330E Centre Lathes - only 4 left
Condition: Good - Fully Functional



GMU-074 - £ 3,350 + VAT
VAT Now £ 1,775 + VAT
YOM - June 2004 Save 50%

Specifications

- 330mm x 1000mm Between Centres
- 3 Jaw chucks
- Steadies
- 4-way Toolpost (GMU-075, GMU-077 & GMU-078)
- QCTP & Holders (GMU-066, GMU-074 & GMU-076)
- Face Plate (All Except GMU-077)
- Light
- Coolant
- Full Length Splash Guard
- Interlocked Chuck Guard
- Saddle Guard (GMU-066)
- Full Length Foot Brake & CE Mark



GMU-075 - £ 3,250 + VAT
Now £ 1,625 + VAT
YOM - June 2004 Save 50%



GMU-077 - £ 3,250 + VAT
Now £ 1,625 + VAT
YOM - June 2004 Save 50%



GMU-078 - £ 3,250 + VAT
Now £ 1,625 + VAT
YOM - June 2004 Save 50%

**ProfitDrill PD1B Bench
Drill
Ex-
Demo**

3

**Better than
1/2 Price**



- 16mm cap
- 2MT
- Chuck Guard
- Stepped Pulley

£425 + VAT



Bridgeport - BRJ Turret Mill

- 1 Available
- 42" x 9" Table
- Fitted DRO
- Original Power Feed
- Splash Tray
- Light, Coolant, Guard

Good Working Condition
GMU-078 - £ 1,400 + VAT

Save 20%

Used Surface Grinding Machine for Sale **PERFECT PFG-1545** surface grinder – Ex College

Standard Equipment and features:-

Electro Mag chuck with Auto Demag,
Dust Suction and Coolant system,
Hydraulic power, Automatic Cross traverse,
Automatic Lubrication, Light,
2 x Spare Grinding Wheels and 3 x Flanges,
Table mounted dresser,
Wheel Balancing Stand and Arbor,
Extraction tool.

Basic Specifications

Model	PFG-1545AH	[150 x 450mm]
Grinding Capacity		150 x 450mm
Grinding Wheel		180mm dia
Spindle centre to table		450mm



Excellent Condition

GMU-106 - £ 7,200 + VAT
Save 10%

**Used Machinery stock always changing,
Call us for an updated stock list.**

**Fully serviced and in good working
condition. Buy with confidence from
original supplier. Full spares & Support**

Gate PBM-1000 Turret Mill

PBM-1000 'Premium' Complete with:
2 Axis Anilam Wizard 311 DRO,
X axis power feed, 1 shot lubrication,
light, coolant, steel splash tray, manual &
CE Mark



- Variable speed head
- R8 spindle
- 1067 x 230mm (42" x 9") table
- 660 x 305 x 406mm travels (x, y, z)
- Quill travel 127mm
- 0.04/0.08/0.13mm/rev feeds
- Head tilts R&L ±45° F&B ±45°

Condition:
Good Working Order

GMU-105 £3,400 + VAT
YOM: 2006 Save 20%

Elliott 618 Surface Grinder Ex-Training Centre

**Machine in good working order except
for Hydraulic pump which is no longer
available as a spare part. Machine is
Ideal for use as a Manual Grinder or as
a donor machine for spare parts.**



Machine comes complete with:-

- 6" x 18" Magnetic Chuck
- R & F to Wheelhead
- Coolant tank and fittings
- Mounted wheel and flange

Gate Stock No GMU-071

Only £500+VAT

Used Drilling Machine for sale Progress PR-4G Geared Head Drilling Machine – Ex-College

This is a superb example of this very popular
Progress Drill. The machine is ex-college and in
excellent working and cosmetic condition. The
machine represents excellent value for money
and is available from stock, with immediate effect.

**Machine is available with the following
Standard Equipment:**

Geared Head, Interlocked Spindle Guard,
Cross Table, LED Light, Drilling Vice,
Emergency Foot Switch,
Key Type Drill Chuck and Arbor.

Motor	1HP, 3Ph
Drilling Capacity	32mm
Spindle Taper	MT-3



Excellent Condition
GMU-108 - £ 1,592 + VAT
Save 20%